## Amendments to the Claims:

This listing of claims will replace all prior versions and listing of claims in the application.

## Listing of the Claims:

Claims 1-3 (cancelled).

Claim 4 (currently amended): A method of <u>treating treatment of functional</u> constipation or C-IBS, in a warm-blooded animal in need of such treatment, which method comprises administering to said animal an effective amount of an IBAT inhibitor selected from:

- $1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-\{(R)-\alpha-[N-((R)-1-carboxy-2-methylthio-ethyl)carbamoyl]-4-hydroxybenzyl\} carbamoylmethoxy)-2,3,4,5-tetrahydro-1,2,5-benzothiadiazepine;$
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)- $\alpha$ -[N-((C)-1-carboxy-2-(R)-hydroxypropyl)carbamoyl]-4-hydroxybenzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,2,5-benzothiadiazepine;
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8- $(N-\{(R)-\alpha-[N-((S)-1-carboxy-2-methylpropyl)carbamoyl]-4-hydroxybenzyl\}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,2,5-benzothiadiazepine;$
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N-((S)-1-carboxybutyl) carbamoyl]-4-hydroxybenzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,2,5-benzothiadiazepine;
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-\alpha-[N-((S)-1-carboxypropyl) carbamov|]benzyl}carbamov|methoxy)-2.3,4,5-tetrahydro-1,2,5-benzothiadiazepine;
- 1,1-dioxo-3,3-dibuty1-5-phenyl-7-methylthio-8-(N-{(R)-α-[N-((S)-1-carboxyethyl) carbamov]|benzyl}carbamov|methoxy)-2,3,4,5-tetrahydro-1,2,5-benzothiadiazepine:

- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N-((S)-1-carboxy-2-(R)-hydroxypropyl)carbamoyl]benzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,2,5-benzothiadiazepine;
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N-(2-sulphoethyl)carbamoyl]-4-hydroxybenzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,2,5-benzothiadiazepine;
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N-((S)-1-carboxyethyl)carbamoyl]-4hydroxybenzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,2,5-benzothiadiazepine;
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8- $(N-\{(R)-\alpha-[N-((R)-1-carboxy-2-methylthioethyl)carbamoyl]benzyl\}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,2,5-benzothiadiazepine;$
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N-{(S)-1-[N-((S)-2-hydroxy-1-carboxyethyl)carbamoyl]propyl}carbamoyl]benzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,2,5-benzothiadiazepine; and
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N-((S)-1-carboxy-2-methylpropyl)carbamoyl]benzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,2,5-benzothiadiazepine;
- $1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-\{(R)-\alpha-[N-((S)-1-carboxypropyl)\ carbamoyl]-4-hydroxybenzyl\} carbamoylmethoxy)-2,3,4,5-tetrahydro-1,2,5-benzothiadiazepine; and$
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-[N-((R)-\alpha-carboxy-4-hydroxybenzyl)carbamovlmethoxyl-2.3,4,5-tetrahydro-1,2,5-benzothiadiazepine;
- hydroxybenzyl)carbamoylmethoxy]-2,3,4,5-tetrahydro-1,2,5-benzothiadiazepine;
  1.1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-\alpha-(R)-3-(R)-3-(R)-4-(R)-5-(R)-4-(R)-3-(R)-4-(R)-3-(R)-4-(R)-3-(R)-4-(R)-3-(R)-4-(R)-3-(R)-4-(R)-3-(R)-4-(R)-3-(R)-4-(R)-3-(R)-4-(R)-3-(R)-4-(R)-3-(R)-4-(R)-3-(R)-4-(R)-3-(R)-4-(R)-3-(R)-4-(R)-3-(R)-3-(R)-4-(R)-3-(R)-3-(R)-4-(R)-3-(R)-3-(R)-4-(R)-3-
  - 2.3.4.5.6-pentahydroxyhexyl)carbamoyl]benzyl} carbamoylmethoxy)-2.3.4.5-tetrahydro-1.2.5-benzothiadiazepine; and
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N-(2-(S)-3-(R)-4-(R)-5-(R)-2,3,4,5,6-pentahydroxyhexyl)carbamoyl]-4-hydroxybenzyl]carbamoylmethoxy)-2,3,4,5-tetrahydro-1,2,5-benzothiadiazepine;

or a pharmaceutically acceptable salt, solvate, solvate of such a salt, or an *in vivo* hydrolysable ester formed on an available carboxy or hydroxy or an *in vivo* hydrolysable amide formed on an available carboxy thereof.

Claims 5-7 (cancelled)

Claim 8 (currently amended): The method according to claim 4 or claim 10 for the treatment of functional constipation.

Claim 9 (currently amended): The method according to claim 4<u>or claim 10</u> for the treatment of C-IBS.

Claim 10 (new): A method of treating functional constipation or C-IBS, in a warm-blooded animal in need of such treatment, which method comprises administering to said animal an effective amount of an IBAT inhibitor selected from:

- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-1'-phenyl-1'-[N'-(carboxymethyl) carbamoyl]methyl} carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N- $\{(R)-\alpha-[N'-(carboxymethyl)carbamoyl]-4-hydroxybenzyl\}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;$
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-1'-phenyl-1'-[N'-(2-sulphoethyl)carbamoyl]methyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N-{(R)-1'-phenyl-1'-[N'-(2-sulphoethyl)carbamoyl]methyl}carbamoylmethoxy)-2,3,4,5-tetahydro-1,5-benzothiazepine;
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N'-(2-sulphoethyl)carbamoyl]-4hydroxybenzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N-{(R)-\alpha-[N'-(2-sulphoethyl)carbamoyl]-4-hydroxybenzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N'-(2-

- carboxyethyl)carbamoyl]benzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N'-(2-carboxyethyl)carbamoyl]-4-hydroxybenzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- $1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N-(\{R\})-\alpha-[N'-(5-carboxypentyl)]\\ carbamoyl]benzyl-2,3,4,5-tetrahydro-1,5-benzothiazepine;$
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-a-[N'-(2-carboxyethyl)carbamoyl] benzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N- $\{\alpha-[N^*-(2-sulphoethyl)carbamoyl]-2-fluorobenzyl\}$  carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N-{(R)- $\alpha$ -[N'-(R)-(2-hydroxy-1-carboxyethyl)carbamoyl]benzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N $\{(R)-\alpha-[N'-(R)-(2-hydroxy-1-carboxyethyl)carbamoyl]benzyl\}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;$
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8- $\{N-[(R)-\alpha-(N'-\{(R)-1-[N''-(R)-(2-hydroxy-1-carboxyethyl)carbamoyl]-2-hydroxyethyl\}carbamoyl)benzyl]carbamoylmethoxy}-2,3,4,5-tetrahydro-1,5-benzothiazepine;$
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N-{\ac[N'-(carboxymethyl)carbamoyl]} benzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N-{α-[N'-((ethoxy)(methyl)phosphory|methyl)carbamoyl]benzyl}carbamoylmethoxy)-2,3,4,5tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-{N-[(R)-α-(N'-{2-[(hydroxy) (methyl)phosphoryl]ethyl}carbamoyl)benzyl]carbamoylmethoxy}-2,3,4,5-tetrahydro-1,5-benzothiazepine:

- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N'-(2-methylthio-1-carboxyethyl)carbamoyl]benzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine:
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-{N-[(R)-\alpha-(N'-{2-[(methyl)(ethyl) phosphoryl]ethyl}carbamoyl)-4-hydroxybenzyl]carbamoylmethoxy}-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-{N-[(R)-α-(N'-{2-[(methyl)(hydroxy) phosphoryl]ethyl}carbamoyl)-4-hydroxybenzyl]carbamoylmethoxy}-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N- $\{(R)-\alpha-[(R)-N'-(2-methylsulphinyl-1-carboxyethyl)carbamoyl]benzyl\}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;$
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methoxy-8-[N-{(R)-α-[N'-(2-sulphoethyl)carbamoyl]-4hvdroxybenzyl}carbamoylmethoxyl-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3,3-dibutyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N'-(2-(S)-3-(R)-4-(R)-5-(R)-2,3,4,5,6-pentahydroxyhexyl)carbamoyl]benzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N-{(R)-\alpha-[N'-(2-(S)-3-(R)-4-(R)-5-(R)-2,3,4,5,6-pentahydroxyhexyl)carbamoyl]benzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazeoine:
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N'-((S)-1-carbamoyl-2-hydroxyethyl)carbamoyl]benzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazopine;
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N'-{(hydroxycarbomoyl-methyl)carbamoyl)benzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;

- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-[N-((R)-α-{N'-[2-(N'-pyrimidin-2-ylureido)ethyl]carbamoyl} benzyl)carbamoylmethoxy]-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-[N-((R)-α-{N'-[2-(N'-pyridin-2-ylureido)ethyl]carbamoyl}benzyl)carbamoylmethoxy]-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- $\label{eq:continuous} 1, 1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N-\{(R)-\alpha-[N'-(1-3-butoxycarbonylpiperidin-4-ylmethyl)carbamoyl] benzyl\} carbamoylmethoxy)-2, 3, 4, 5-tetrahydro-1, 5-benzothiazepine;$
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N $\{(R)-\alpha-[N'-(2,3-dihydroxypropyl)carbamoyl]benzyl\}$  carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-[N-((R)-\alpha-{N'-[2-(3,4-dihydroxyphenyl)-2-methoxyethyl]carbamoyl}benzyl)carbamoylmethoxy]-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- $1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N-\{(R)-\alpha-\{N-(2-aminoethyl)carbamoyl]benzyl\} carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;$
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N-{(R)-\alpha-[N'-(piperidin-4-ylmethyl) carbamoyl]benzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine; and
- 1,1-dioxo-3-butyl-3-ethyl-5-phenyl-7-methylthio-8-(N-{(R)-α-[N-(2-N,N-dimethylaminosulphamoylethyl)carbamoyl]benzyl}carbamoylmethoxy)-2,3,4,5-tetrahydro-1,5-benzothiazepine;
- or a pharmaceutically acceptable salt, solvate, solvate of such a salt, or an *in vivo* hydrolysable ester formed on an available carboxy or hydroxy or an *in vivo* hydrolysable amide formed on an available carboxy thereof.